

Certificate of Analysis

SUPPLIER:	JK BIO-CHEM CO.,LTD		
PRODUCT:	CITRIC ACID ANHYDROUS BP98		
BATCH NO.:	31010174	DATE:	OCT, 2013
QUANTITY:	22000KGS	MANUFACTURING DATE:	OCT, 2013
		EXPIRY DATE:	OCT, 2015

ITEM	STANDARD	RESULTS
CHARACTERISTICS	WHITE CRYSTALLINE POWDER	WHITE CRYSTALLINE POWDER
IDENTIFICATION	CONFORMING WITH THE TEST	COMPLIES WITH THE TEST
READILY CARBONATION SUBSTANCES	CONFORMING WITH THE TEST	CONFORMING WITH THE TEST
CLARITY	CONFORMING WITH THE TEST	CONFORMING WITH THE TEST
BARIUM	CONFORMING WITH THE TEST	CONFORMING WITH THE TEST
CHLORIDE	≤50PPM	10PPM
SULPHATE	≤150PPM	5PPM
CALCIUM	≤200PPM	25PPM
OXALATE	≤100PPM	30PPM
ARSENIC	≤1PPM	0.5PPM
IRON	≤50PPM	10PPM
HEAVY METALS	≤5PPM	2PPM
ASSAY	99.5%~101.0%	100.00%
WATER	≤1.0%	0.1%
SULPHATED ASH	≤0.1%	0.01%
BACTERIAL ENDOTOXINS	NOT MORE THAN 0.5IU/MG	LESS THAN 0.5IU/MG
LEAD	≤1PPM	≤0.5PPM

FINAL RESULT: THIS BATCH IS CONFORMING TO THE STANDARD OF BP98/BP2004

INSPECTOR: 吴彬

QUALITY CONTROL SECTION: 王晓红

JK BIO-CHEM CO., LTD

ADD: Room 2-15018, Tiandu Mansion, No.649 Chezhan North Road, Changsha, Hunan 410003 China.

Tel: 86-731-87960709 Fax: 86-731-88689665

Web: www.jk-ingredients.com